UTILITY PATENT APPLICATION **TRANSMITTAL**

Attorney Docket No. BPS-103

Total Pages

First Named Inventor TIFFANY D. BOEHMER

Title

Interface System and Method of Building Rules and Constraints for a Resource Scheduling System

APPLICATION ELEMENTS	ACCOMPANYING APPLICATION PARTS O	
1. [] Fee Transmittal Form	8. [] Assignment cover sheet and document(s)	\Box
2. [X] Specification Total Pages: [16]	9. [] Power of Attorney by Assignee	
3. [X] Drawing(s) Total Sheets: [2]	[] with CFR 3.73(b) statement	8 9
4. [] Oath or Declaration Total Pages: []	9. [] Power of Attorney by Assignee [] with CFR 3.73(b) statement 10. [] English Translation Document 11. [] IDS/PTO-1449	9
a. [] Newly executed (original or copy)	11.[] IDS/PTO-1449	٩
b. [] Copy from a prior application 1.63(d)	[] with copies of cited references	ł
(complete Box 17 and note Box 5 below)	12. [] Preliminary Amendment	
i. [] Signed statement deleting inventors named in the prior application, see	13. [X] Return Receipt Postcard (MPEP 503)	
CFR 1.63(d)(2) and 1.33(b)	14. [] Small Entity Statement	ı
5. [] Incorporation by Reference (if 4b is checked)	[] Statement filed in prior application	
The entire disclosure of the prior application, from which a copy of the oath or declaration	Status still proper and desired	
is supplied under Box 4b, is considered as	15. [] Certified Copy of Priority Document(s)	
being part of the disclosure of the accompanying application and is hereby	(if foreign priority is claimed)	
incorporated therein by reference.	16. [] Other:	ı
6. [] Microfiche Computer Program (Appendix)		l
7. [] Nucleotide/Amino Acid Sequence Submission (all the following are necessary)		
a. [] Computer Readable Copy		
b. [] Paper Copy (identical to computer copy)		ı
c. [] Statement verifying identity of above copies		
17. If a CONTINUING APPLICATION, check appropriate b	ox and supply the requisite information:	
[] continuation [] divisional [] CIP	of prior application No.: []	
		_

	18. CO	PRRESPONDENCE ADDRESS	
NAME	MAREK ALBOSZTA LUMEN INTELLECTUAI	L PROPERTY SERVICES	
ADDRESS	45 CABOT AVENUE, S	SUITE 110	
CITY	SANTA CLARA	STATE CA ZIP CODE 95051	
COUNTRY	USA	TELEPHONE (408) 260-7300 FAX (408) 260-730	1

	LUMEN INTELLECTUA	L PROPERT	Y SERVICES	3	
	45 CABOT AVENUE, S	SUITE 110			
CITY	SANTA CLARA	STATE	CA	ZIP CODE	95051
COUNTRY	USA	TELEPHONE	(408) 260-7	300 FAX	(408) 260-7301

Certificate of Mailing by "Express Mail"

I hereby certify that I am mailing this correspondence on the date indicated below to the ASSISTANT COMMISSIONER FOR PATENTS, BOX PATENT APPLICATION, WASHINGTON, DC 20231 using the "Express Mail Post Office to Addressee" service of the United States Postal Service under 37 CFR 1.10.

DATE OF MAILING: 10/2/00

EXPRESS MAIL LABEL NO:

EL008P8P8J0N2

JENNIFER ADDY PETURSSON NAME OF PERSON

SIGNING

25

30

5

Interface System and Method of Building Rules and Constraints for a Resource Scheduling System

INVENTORS

Tiffany D. Boehmer, Gal Josefsberg, and Gary Todd Aoki

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is related to copending U.S. Application Serial No. 09/056,219 by Andre et al., filed April 7, 1998, and commonly assigned, the specification of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

This invention relates to computer systems and computerimplemented methods for generating and optimizing schedules for a collection of personnel. In particular, the invention relates to methods for optimizing personnel schedules to satisfy variable staffing requirements and shift constraints.

BACKGROUND OF THE INVENTION

The task of creating an efficient schedule for a collection of personnel is known to be a very complex constraint satisfaction problem. The problem becomes even more complex when the number of personnel is large, or when there are variable constraints upon the shifts such as the number of breaks within an person's

5

10

15 that that that that that that that the state of the st

25

shift, the scheduling of the breaks within a shift, and the lengths of the breaks.

Traditionally, scheduling is performed manually. Because the manual preparation of schedules is very laborious, however, computerized scheduling methods have been devised to perform the task of scheduling. Although computerized scheduling is far faster than manual scheduling, it often does not produce schedules that make the most efficient use of personnel. major reason for the difficulty in producing efficient schedules is that the scheduling problem is a computational problem of type NP-complete, i.e. the only known algorithms to solve the problem require an amount of time that grows exponentially with the size of the problem. There are no known algorithms, therefore, which can perfectly solve the scheduling problem in less than exponential time. The problem of generating a good schedule, therefore, requires computational techniques for maximizing the schedule's efficiency while minimizing the amount of computational time, and inherently involves trade-offs that are peculiar to each specific application.

Traditional resource scheduling software packages include little or no mechanisms for the user to specify customized rules of a highly expressive nature. Instead, the user must simply follow a strict workflow imposed by the software or the user must specify constraints in great detail, requiring for example specifications of every particular personnel and every particular case of the rule individually.

Microsoft Outlook™ and other software products include simple interfaces for creating meaningful sentences using drag-and-drop actions. The structure of the "sentences" is not dynamically based on inputs by the user in general. They are fixed branches

5

25

- of possible values and sets of values. A real-time database lookup feature is not part of these systems.
- U.S. Patent 5,909,678 teaches building statements by dragging and dropping templates and components, and is specific to a system with selectable objects (for the "blanks") only.
- U.S. Patent 5,682,542 is very specific to construction of statements containing noun and verb objects only.
- U.S. Patents 5,590,322 and 5,592,668 teach designing queries for 10 an information system, including a drag-and-drop method for creating the queries, but include only a system that maps the query to a specific internal structure (the fact tree representation).
 - U.S. Patent 5,584,024 teaches a narrow database query system. However, the system includes a user interface allowing a user to select from tables to create queries that are guaranteed to be syntactically and semantically correct, and thus conform to a strict grammar.
 - U.S. Patent 4,829,423 generally teaches any interface for users to create sentences from a specified grammar, including a means for generating all possible choices midway through the process based on user inputs thus far.
 - U.S. Patent 5,802,255 teaches a user interface design that enables building rules in the area of intelligent interaction with rules. However, the rules taught are specifically condition-action rules and are thus highly structured.

5

10

25

30

U.S. Patent 5,596,502 is a narrow manufacturing application.
U.S. Patent 5,444,632 describes factory lot processing and scheduling methods.

OBJECTS AND ADVANTAGES OF THE INVENTION

Accordingly, it is a primary object of the present invention to overcome the limitations of the prior art rule building interface methods. More specifically, it is an object of the invention to provide a fast, efficient and flexible computer-implemented method to specify constraints and other business rules to be considered in a scheduling system.

SUMMARY OF THE INVENTION

These objects and advantages are attained by a novel computerimplemented method for improving a person's schedule. The method
is distinguished from the prior art by numerous advantageous
features. For example, the method is more versatile than the
prior art, because of inclusion of two input devices, and because
of the fact that the resulting rules are not in fact forced to
satisfy a particular grammar. The ability to express selfreferential and abstract qualities are also improvements over
existing solutions. Further, many existing methods require a
database as part of the essential mechanism, whereas the
interface of the present invention does not in principle require
a database.

The present invention is an interface system for interactively building rules and constraints. The interface system comprises of an output display configured to show a user a partial rule with a current rule fragment, such rule fragment comprising a blank space; the output display is further configured to show a user a list of potential selections for filling the blank space in the current rule fragment; the output display also shows a user a completed rule wherein the completed rule should be easily parsed

by a human user; and at least one input device configured to allow a user to choose from a list a desired selection for filling the blank space and for allowing a user to directly enter values to create a selection for filling the blank space, thereby creating a completed rule. The input device can also assign a tolerance to the completed rule, whereby the completed rule is made self-referential. A completed self-referential rule refers to a goal that is unspecified in an absolute sense or to a schedule that does not yet exist.

10

5

The interface system further comprises a processing element configured to apply branching rules to previous selections of a user for filling the blank space, thereby interactively and dynamically creating future blank spaces and future lists of the potential selections. Alternatively, the interface system can include a processing element configured to access a dynamic database, thereby to populate the lists of potential selections depending on the current value in real time of the dynamic database.

The interface system further comprising a processing element configured for converting a completed rule into an internal representation suitable for inputting into a resource scheduling system. The interface system also assigns the completed rule to at least one person in a resource schedule.

25

The interface system of the present invention can be used for resource scheduling of call center agents in a call center as well as other resource scheduling applications.

25

30

5

DESCRIPTION OF THE FIGURES

- Fig. 1 is a block diagram indicating an interface system for building rules and constraints for a resource scheduling system, in accordance with the present invention; and
- Fig. 2 is a flow diagram illustrating the operation of an embodiment of the interface system according to Fig. 1.

DETAILED DESCRIPTION

Although the following detailed description contains many specifics for the purposes of illustration, anyone of ordinary skill in the art will appreciate that many variations and alterations to the following details are within the scope of the invention. Accordingly, the following preferred embodiment of the invention is set forth without any loss of generality to, and without imposing limitations upon, the claimed invention.

One embodiment of the present invention involves unscheduling one or more personnel from their shifts in the schedule, so that their shifts are empty. These personnel, or a portion of these personnel are then rescheduled for different possible shifts so that various possible schedules are formed. Each of these possible schedules are evaluated with a score function and based on the scores, an improved schedule is selected from the possible schedules. The same process can also be applied to find an optimal schedule for breaks.

At the highest level, our method differs in that the system we propose is creating rules and not sentences in a grammar. One may argue that as long as the set of possible rules is finite, then this defines a grammar. Our set of rules differs depending on the state of the database and, therefore, it is not a fixed language. Furthermore, we improve on the method and specify by creating a self-referential component in the rules (fairness).

5

10 -

Hard Sand And And Sans R

20

25

30

And, we further improve by having not only some blanks filled by the user through selection from a list, but by enabling other blanks to be filled by the user through direction specification, without the need to choose from a list. These improvements make our method more expressive because it can more flexibly create an array of rules without being tied to one grammar.

Fig. 1 is a block diagram indicating an interface system 100 for building rules and constraints for a resource scheduling system, in accordance with the present invention. In an embodiment, interface system 100 incorporates an output display 102 for showing a user a current rule fragment having a blank space to be filled in by a user, thereby completing the rule. Output display 102 is interconnected through a wired or wireless data link 110 with an interface system processor 104. Interface system 100 contains input devices 106 and 108 configured for allowing the user to fill in the blank space. A first input device 106 allows the user to fill in the blank space by selecting from a list of potential selections displayed on output display 102. A second input device 108 allows the user to fill in the blank space by direct entry of open-ended values. An optional input device 112 allows the user to specify a self-referential constraint or tolerance (e.g., a rule is X and this rule must be complied within a tolerance of Y). Such a self-referential rule can refer to a goal that is unspecified in an absolute sense or to a schedule that does not yet exist. The function of optional input device 112 can alternatively be incorporated into either or both of the other input devices 106 and 108. The completed rule with the blank space filled is displayed at output display 102.

Interface system 100 is interactive, applying branching rules to previous selections of a user to create future blank spaces and future lists of potential selections. In some embodiments,

5

10

m2

25

30

interface system 100 includes a processing element that accesses a dynamic database 114, such that lists of potential selections are populated in accordance with the current value in real time of the dynamic database. In some embodiments, interface system 100 includes a processing element 116 for converting a completed rule into an internal representation suitable for inputting into a resource schedule system 118, e.g., a call center scheduling system. Processing element 116 can alternatively be included as part of interface system processor 104. A processing element 120 for assigning a completed rule to a person 124, e.g., a call center person, in a resource schedule 118, is optionally provided, either separately or contained within interface system processor 104.

In some embodiments, interface system 100 and resource scheduling system 118 are integrated into a common scheduling system 130, for example a call center scheduling system.

In an interface system according to the present invention, rules that result from the interface are easily parsed by a human user, but are not forced to follow any particular grammar. In some cases, the human user chooses an appropriate term from a list to fill a blank space, whereas in other cases, the human user creates a term to fill the blank space, without being bound to a list. In both of the above types of operation, which blanks exist and what terms are contained in future choice lists are guided dynamically by the user's former choices. The process includes an element that uses fixed branching rules, and an element that goes to a dynamic database and populates the lists depending on the current value of the database in real time. Part of the interface system is designed for the user to optionally specify a tolerance with which he wishes the scheduler to abide by the rule. In other words, the rules can be self-

30

10

5

referential (e.g., "Joe works four times per month, with a tolerance of one"; "All employees work equal number of Saturday night shifts, with a tolerance of three.") The constraints can also be abstract and referential in the sense that they can refer to a schedule that does not yet exist (e.g., this rule is that everyone according to the final schedule should work on average the same number of Mondays.) This rule refers to the schedule (solution) that does not yet exist, without specifying a goal in an absolute sense. Further, the interface is designed such that these rules can first be created, then assigned or attached to one or more individual personnel (or objects of the rule).

Fig. 2 is a flow diagram 200 illustrating one example of the operation of an embodiment of interface system 100. In the example of Fig. 2, at step 202 the user selects either "Employee must work..., " transferring operation to step 204; or "Employee must have off..., " which transfers operation to step 214. Steps 204 and 214 invite the user to fill in a value in an appropriate blank space. Steps 206 and 216 provide choices and blank fill-in spaces to select calendar and/or time units. At step 206, the shifts (shift patterns) selection provides the user with a dynamically populated list of selections based on the current state of the database. Operation shifts from steps 206 and 216 respectively to steps 208 and 218, providing the user a choice of portions of the day before transferring operation to respective steps 210 and 220. Steps 210 and 220 provide a choice of repeat time intervals. Alternatively, step 208 and/or 218 are bypassed, providing operational flow directly from step 206 to step 210, or from step 216 to 220. The user can then direct operational flow from step 210 and/or step 220 to step 212, where tolerances are applied (for fairness rules only). Thereafter the user selects the start of the schedule at step 222. Alternatively, the user

10

BPS-103

can bypass step 212 and execute step 222 directly after step 210 or step 220. The above operations illustrate the basic flow of the present invention. Other operations may be added, subtracted, or substituted from the basic flow depending on the specific problem situation.

It will be clear to one skilled in the art that the above embodiment may be altered or supplemented in many ways without departing from the scope of the invention. Additional variations will be obvious to those skilled in the art. Accordingly, the scope of the invention should be determined by the following claims and their legal equivalents.

CLAIMS

What is claimed is:

1. An interface system for interactively building rules and constraints, comprising:

an output display configured for showing to a user a partial complete rule with a current rule fragment, such rule fragment comprising a blank space; said output display further configured for showing to a user a list of potential selections for filling said blank space in said current rule fragment; said output display further configured for showing to a user a completed rule; and at least one input device configured for allowing a user to choose from said list a desired selection for filling said blank space and for allowing a user to directly enter values to create a selection for filling said blank space, thereby creating a completed rule.

- 2. The interface system of claim 1, further comprising a processing element configured for converting a completed rule into an internal representation suitable for inputting into a resource scheduling system.
 - 3. The interface system of claim 2, comprising a processing element configured for assigning said completed rule to at least one person in a resource schedule.
 - 4. The interface system of claim 3, wherein said resource schedule is a call center schedule and said at least one person is a call center agent.

2
3
4
1
2
3
1
O 2011 1971 1971 1971 1971 1971 1971 1971 1
2

3

4

5

1

2

- 5. The interface system of claim 1, comprising an input device configured for allowing a user to assign a tolerance to said completed rule, whereby said completed rule is made self-referential.
 - 6. The interface system of claim 5, wherein said completed self-referential rule refers to a goal that is unspecified in an absolute sense.
 - 7. The interface system of claim 5, wherein said completed self-referential rule refers to a schedule that does not yet exist.
- 8. The interface system of claim 1, comprising a processing element configured to apply branching rules to previous selections of a user for filling said blank space, thereby interactively and dynamically creating future blank spaces and future lists of said potential selections.
 - 9. The interface system of claim 8, including a processing element configured to access a dynamic database, thereby to populate said lists of potential selections depending on the current value in real time of said dynamic database.
- 10. The interface system of claim 1, wherein said completed rule is easily parsed by a human user.
- 1 11. A computer-implemented method of building rules and
 2 constraints for a resource scheduling system, comprising:
 3 displaying to a user a current rule fragment, such
 4 rule fragment comprising a blank space;
 5 filling said blank space with a value selected by
 6 said user, thereby creating a completed rule; and

1

2

3

1

2

2

1

2

3

1

2

3

1 2

displaying said completed rule to said user.

- 12. The method of claim 11, wherein said user fills said blank space by choosing from a list of potential selections, said potential selections being displayed to said user.
- 13. The method of claim 11, wherein said user fills said blank space by direct entry of said value.
- 14. The method of claim 11, further comprising converting a completed rule into an internal representation and inputting said internal representation into a resource scheduling system.
 - 15. The method of claim 14, comprising assigning said completed rule to at least one person in a resource schedule.
 - 16. The method of claim 15, wherein said resource schedule is a call center schedule and said at least one person is a call center agent.
- 17. The method of claim 11, further comprising assigning a tolerance to said completed rule, whereby said completed rule is made self-referential.
 - 18. The method of claim 17, wherein said completed self-referential rule refers to a goal that is unspecified in an absolute sense.
 - 19. The method of claim 18, wherein said completed self-referential rule refers to a schedule that does not yet exist.
- 20. The method of claim 11, further comprising applying branching rules to previous selections of a user for

3

1

2

3 4

5

1

 $\tilde{2}$

10

11

12

13

14

15

16 17

18

19

1

2

3

filling said blank space, thereby interactively and dynamically creating future blank spaces and future 5 lists of said potential selections.

- The method of claim 20, further comprising 21. accessing a dynamic database, thereby populating said lists of potential selections in accordance with the current value in real time of said dynamic database.
- The method of claim 11, wherein said completed rule is 22. easily parsed by a human user.
- 23. A resource scheduling system for a call center schedule, comprising:

an interface system for interactively building rules and constraints, said interface system including:

an output display configured for showing to a user a current rule fragment, such rule fragment comprising a blank space;

said output display further configured for showing to a user a list of potential selections for filling said blank space in said current rule fragment;

said output display further configured for showing to a user a completed rule; and at least one input device configured for allowing a user to choose from said list a desired selection for filling said blank space and for allowing a user to directly enter values to create

a selection for filling said blank space, thereby

creating a completed rule.

The resource scheduling system of claim 23, comprising 24. a processing element configured for assigning said completed rule to at least one call center agent.

1
2
3
4
M The first trail of the first from
1
2
3
4
5
6

1

2

1

2

- 25. The resource scheduling system of claim 23, comprising an input device configured for allowing a user to assign a tolerance to said completed rule, whereby said completed rule is made self-referential.
 - 26. The resource scheduling system of claim 25, wherein said completed self-referential rule refers to a goal that is unspecified in an absolute sense.
 - 27. The resource scheduling system of claim 25, wherein said completed self-referential rule refers to a schedule that does not yet exist.
- 28. The resource scheduling system of claim 23, comprising a processing element configured to apply branching rules to previous selections of a user for filling said blank space, thereby interactively and dynamically creating future blank spaces and future lists of said potential selections.
 - 29. The resource scheduling system of claim 28, including a processing element configured to access a dynamic database, thereby to populate said lists of potential selections depending on the current value in real time of said dynamic database.
- 30. The resource scheduling system of claim 23, wherein said completed rule is easily parsed by a human user.

Interface System and Method of Building Rules and Constraints for a Resource Scheduling System


5

INVENTORS

Tiffany D. Boehmer, Gal Josefsberg, and Gary Todd Aoki

ABSTRACT OF THE DISCLOSURE

The present invention is an interface system for interactively building rules and constraints. The interface system comprises of an output display configured to show a user a partial complete rule with a current rule fragment, such rule fragment comprising a blank space. The user can fill in the blank space by either choosing from a list or by typing in text in the blank space. After the blank space is filled, a completed rule is generated. The interface system then assigns this rule to one or more person in a resource scheduling system. The present invention can be used for agent scheduling in a call center environment.






Fig.